



SUMEET TOSHNIWAL

GENERAL SURGEON | LAPAROSCOPIC SURGEON | ENDOSCOPIST

MBBS MS FRACS

LAPAROSCOPIC CHOLECYSTECTOMY

INDICATIONS

1. Biliary colic/cholecystitis (ultrasound evidence of multiple gallstones)
2. Cholecystitis from an impacted stone in the neck of gallbladder (high risk of empyema of gallbladder)
3. Asymptomatic cholelithiasis (incidental finding of large gallstones 1cm or above)
4. Gallbladder polyp 1cm or bigger. (Polyps smaller than 1cm or multiple small polyps can be monitored with yearly ultrasounds for 5 years)
5. Gallstone pancreatitis (for prevention of future attacks of pancreatitis)

CONSULTING LOCATIONS:

Knox Private Hospital (Suite 7)
Waverley Private Hospital

OPERATING LOCATIONS:

Knox Private Hospital
Waverley Private Hospital
Glen Iris Private Hospital

Mr Toshniwal is also appointed at **Eastern Health**. Uninsured patients can be operated in private, please enquire for quote

Please contact our rooms for appointments and enquiries

T 03 9210 7278

F 03 8822 1678

E rooms@mrtoshniwal.com.au

W drsumeettoshniwal.com.au

USING THE LATEST TECHNIQUES FOR MANAGEMENT OF GALLSTONES, BILIARY COLIC & ACUTE CHOLECYSTITIS

- » Four ports – minimally invasive technique
- » Can be done as a day procedure in selected cases
- » Most patients are comfortable within a week

WHAT TO BRING TO YOUR APPOINTMENT:

- » GP referral
- » Upper abdominal ultrasound report +/- CT scan report (only 10% of gallstones are radio opaque to be detected on CT)
- » Blood tests (FBE, U/E, LFT, coagulation profile, CRP)

NOTES:

.....

.....

.....

.....

.....

